Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Testing Field	Materials/ Products Tested	Type of test/ Test parameter/ Properties measured/Range of measurement	Test Method (Standard, Internal Procedure, Technique)	Permanent lab (P) / Client-site (S)
Chemical	Water	Aluminium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العة المتحدة

Chemical	Water	Antimony	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-h	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924

Chemical	Water	Barium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Beryllium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Boron	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Cadmium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require

Chemical	Water	Calcium	APHA	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Iron	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Lead	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ـة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Lithium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Magnesium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Manganese	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Molybdenum	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date:

Chemical	Water	Mercury	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Nickel	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Phosphorus	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Potassium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

ŏ

Chemical	Water	Selenium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL- H-DXB	

Chemical	Water	Sodium	APHA 3030, 24th edition A)tim	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date:

Chemical	Water	Strontium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Thallium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Tin	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Titanium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ـة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Uranium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P
Chemical	Water	Vanadium	APHA 3030, 24th edition APHA 3120B, 24th edition APHA 3125, 24th edition Documented in-house method EL-M-OP-CH-DXB-MD106A Iss3, Jul24 EL-M-OP-CH-DXB-MD106B Iss2, Jul24 EL-M-OP-CH-DXB-MD106C Iss3, Jul24 EL-M-OP-CH-DXB-MD106D Iss3, Mar24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات الع ة المتحدة

Chemical	Water	Zinc	APHA 3030, 24th edition	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Chloromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Vinyl chloride	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Bromomethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Chloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Trichlorofluoromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	1,1- Dichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date:

Chemical	Water	Methylene Chloride	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Trans-1,2 Dichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	1,1 Dichloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Cis-1,2-Dichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	2,2-Dichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Bromochloromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

عع، أي كشط

Chemical	Water	Chloroform	US EPA 8E	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924

Chemical	Water	1,1 Dichloropropene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	1,2-Dichloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Trichloroethene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	1,2-Dichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Bromodichloromethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Dibromomethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Cis-1,3-Dichloropropene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Toluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Trans-1,3-Dichloropropene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

عع، أي كشط

Chemical	Water	1,1,2- Trichloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2	

Chemical	Water	MTBE	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	TAME	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	Nخ

Chemical	Water	1,3-Dichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A ëv4	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Chlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	m-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	p-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ة المتحدة

Chemical	Water	o-Xylene	US EPA 8260D Rev4 Jun 20181	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Isopropylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Bromobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	n-Propyl benzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

عع، أي كشط

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	1,1,2,2-Tetrachloroethane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	1,2,3- Trichloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	1,3,5- Trimethylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

Page 1 of 1
Date & Time
Time of the electronic verification may cause you to be billed at
normal rate for international calls.
Date to be used/processed

Accreditation Scope
AI Enabling Element Materials Technology Dubai L.L.C. UAE 026
Testing Laboratory (ISO/IEC 17025:2017)
Plot 288 333, Dubai Investment Park 1, PO Box 34854, Dubai, United Arab Emirates
Issue Date: 01/08/2024 Expiry Date: 31/07/2025
Issue no: 1

Chemical	Water	2-Chlorotoluene	US EPA 8260D Sp 4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method GC-MS	

Chemical	Water	1,2,4- Trimethylb		

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	1,3- Dichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	1,4-Dichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	n-butyl benzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

عع، أي كشط

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	1,2-Dichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	1,2-Dibromo-3-	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	Chloropropane	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ة المتحدة

Chemical	Water	1,2,4- Trichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	1,2,3- Trichlorobenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev 2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD404A Iss1, Dec22	P
Chemical	Water	BTEX	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P
Chemical	Water	Benzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

P

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Water	Toluene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P
Chemical	Water	Ethylbenzene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P
Chemical	Water	m-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط

Chemical	Water	04-Jun 2018	p-Xylene	US EPA 8260D Rev4 Jun 2018 US EPA 5021A Rev2 Jul 2014 Documented in-house method EL-M-OP-0048

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Potable Water	Beta BHC	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Aldrin	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Heptachlor	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Heptachlor Epoxide	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Potable Water	Alpha Endosulfan	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	p,p'-DDE	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Dieldrin	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Endrin	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Potable Water	Endrin Ketone	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	p,p'-DDD	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Beta Endosulfan	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Endrin Aldehyde	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

أبوظ ، د ، الإمارات العة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Potable Water	Endosulfan Sulphate	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	p,p'-DDT	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Methoxychlor	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Lindane	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

Chemical	Potable Water	Delta-BHC	US EP	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Potable Water	Endosulfan Sulphate	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	p,p'-DDT	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Methoxychlor	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P
Chemical	Potable Water	Lindane	US EPA 8081B Rev2 Feb 2007 US EPA 608:1984 Documented in-house method EL-M-OP-CH-DXB-MD402 Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

&KHP LFDO	3RWDVEHI DWU	(QGRVXOIDQ6XOSKDWH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	S S¶' ' 7	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	0 HWKR[\ FKORU	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	/ LQGDQH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3

&KHP LFDO	3RWDVEHI DWU	(QGRVXOIDQ6XOSKDWH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	S S¶' ' 7	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	0 HWKR[\ FKORU	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	/ LQGDQH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG(/ 0 23 &+ ' ; % 0' ,VV ' HF	3

&KHP LFDO	3RWDVEHI DWU	(QGRVXOIDQ6XOSKDWH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	S S¶' ' 7	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	0 HWKR[\ FKORU	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	/ LQGDQH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3

&KHP LFDO	3RWDVEHI DWU	(QGRVXOIDQ6XOSKDWH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	S S¶' ' 7	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	0 HWKR[\ FKORU	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3
&KHP LFDO	3RWDVEHI DWU	/ LQGDQH	86 (3$ % 5HY) HE 86 (3$ ' RFXP HQWGLQ KRXVH P HWKRG (/ 0 23 &+ ' ; % 0' ,VV ' HF	3

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	o-Xylene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	Bromoform	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	Styrene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	1,1,2,2-Tetrachloroethane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	1,2,3- Trichloropropane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	1,3,5- Trimethylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	2-Chlorotoluene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	4- Chlorotoluene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	tert-Butylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	1,2,4- Trimethylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	sec-Butylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	p-Isopropyltoluene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	1,3- Dichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	1,4-Dichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	n-butyl benzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modi

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	1,2-Dichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	1,2-Dibromo-3-	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	Chloropropane	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	1,2,4- Trichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	Hexachlorobutadiene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	Naphthalene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

عع، أي كشط

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	1,2,3- Trichlorobenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	MTBE	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P
Chemical	Soil and Sand	TAME	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD404B Iss1, Dec22	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إلكترونيا ولا تحتاج لختم أو توقيع، أي كشط أو تغيير في هذه الشهادة يلغيها.



Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	Ethylbenzene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P
Chemical	Soil and Sand	m-Xylene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P
Chemical	Soil and Sand	p-Xylene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P

This is an electronic cerəficate and does not require

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Soil and Sand	o-Xylene	US EPA 5021A Rev2 Jul 2014 US EPA 8260D Rev4 Jun 2018 Documented in-house method EL-M-OP-CH-DXB-MD408 Iss1, Dec22	P
Chemical	Sediments, Sludge and Soil	Aluminium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Antimony	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Arsenic	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

ع، أي كشط

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Sediments, Sludge and Soil	Barium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Beryllium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Boron	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Cadmium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P

This is an electronic cerəficate and does not require

Ch				

Chemical	Sediments, Sludge and Soil	Iron	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Lead	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical				

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Sediments, Sludge and Soil	Molybdenum	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Nickel	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Phosphorus	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Potassium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ـة المتحدة

Chemical	Sediments, Sludge and Soil	Selenium	APHA 3120B, 24th Edition	

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Sediments, Sludge and Soil	Thallium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Tin	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Titanium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Chemical	Sediments, Sludge and Soil	Vanadium	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العـ ـة المتحدة

Accreditation Scope

Al Futtaim Element Materials Technology Dubai L.L.C, NAL 056
Testing Laboratory, (ISO/IEC 17025:2017)

Plot 598 221, Dubai Investments Park 1, PO Box 34924 , Dubai, United Arab Emirates

Issue Date: 06/09/2024 **Expiry Date: 21/02/2025**
Issue No: 1

Chemical	Sediments, Sludge and Soil	Zinc	APHA 3120B, 24th Edition US EPA 3050 Rev 2 Dec 1996 Documented in-house method EL-M-OP-CH-DXB-MD112 Iss2, Feb24	P
Biological	Water/Waste Water	Total Bacterial count (Heterotrophic Plate count)	APHA 9215B, 24th edition	P
Biological	Water/Waste Water	Total Coliform	APHA 9222B, 24th edition	P
Biological	Water/Waste Water	Total Coliform	APHA 9223B, 24th edition	P
Biological	Water/Waste Water	E. coli	APHA 9223B, 24th edition	P
Biological	Water/Waste Water	Fecal Coliform	APHA 9222D, 24th edition	P
Biological	Water/Waste Water	Fecal Streptococci	BS EN ISO 7899-2:2000	P
Biological	Water/Waste Water	Enterococci	APHA 9230D, 24th edition	P
Biological	Water (Raw, Potable, Process)	Detection and Enumeration of Legionella	ISO 11731:2017	P
Biological	Food	Total Bacterial Count	ISO 4833-1:2013 & A1:2022	P

This is an electronic cerəficate and does not require stamp and signature. Cerəficate will be invalid in case of any modificaəon.

هذه الشهادة صدرت إل ونا ولا تحتاج لختم أو توقيع، أي كشط أو تغي هذه الشهادة لغيها.

هاتف TEL 600565554 ص.ب. P.O.BOX 48666 | أبوظ ، د ، الإمارات العة المتحدة

Biological				

Biological	Food & Swab	Enumeration of Coliforms	AOAC OMA 991.14:2002, 3M Petrifilm method	P
Biological	Food & Swab	Enumeration of E.coli	Selective E.coli, 3M Petrifilm method	P
Biological	Food & Swab	Enumeration of Staphylococcus aureus	AOAC OMA 2003.7:2006, 2003.8:2003 & 20030 11:2007, 3M	