

ElementConcordSampleSubmissionForm

QuoteReferenceNumber: (Required for testing)

PurchaseOrderNumber: (Required for testing)

CustomerContactInformation

CompanyName:

StreetAddress:

City/State:

ContactPerson:

Phone/Ext.:

TurnAroundTimeRequest: Standard [Rush](#) (additional charges apply)

SampleDescription: (i.e. purified water, WFI, product):

Is this a controlled substance? E } z • Schedule:

FOR STERILITY ONLY: N/A BatchSize: VolumePerContainer:

Category Liquids Solid

Classification: Non-injectable Prepd5w 9.96 0 0 9.96 281.8808 473.7 (b)

Other:

SAMPLE STORAGE REQUIREMENTS

RoomTemp Refrigerator(2-8°C) Freezer(-20±10°C) Ultracold(-70±10°C)

SPECIAL INSTRUCTIONS/COMMENTS: N/A Is this a commercial product? W z • E }

ElementConcordUseOnly

TransportCondition: RoomTemperature Cold Dry Ice SamplePickUp N/A

SamplePickUp By Date/Time: SampleArrival By Date/Time:

SampleIntegrity Uncompromised Compromised If Compromised Explain:

Sample Transport Temperature N/A

LogTagID Within Range Out of Range, Explain
No./Cal due

LabReceivedBy/Date:

Comments:
 N/A

(ElementUseOnly)	
Loginby/date	
Location	Room Temperature Refrigerator (28°C) Freezer (-20±10°C) Ultracold (-70±10°C)
ReportNo. or Client Protocol (E) No.	

ElementConcordSampleSubmissionForm

QuoteReferenceNumber:

